ARTIFICIAL TEARS- glycerin, hypromellose, polyethylene glycol 400 liquid American Sales Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CareOne Artificial Tears

Active Ingredient

Glycerin 0.2%

Hypromellose 0.2%

Polyethylene Glycol 400 1%

Purpose

Lubricant

Lubricant

Lubricant

Uses

- for use as a protectant against further irritation or to relieve dryness of the eye
- for the temporary relief of discomfort due to minor irritations of the eye, or to exposure to wind or sun

Warnings

Do not use this product if

solution changes color or becomes cloudy

Stop use and ask a doctor if you experience

- eye pain
- changes in vision
- continued redness or irritation of the eye or if the condition worsens or persists for more than 72 hours

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using. Keep container tightly closed.
- remove contact lens before using

Keep out of reach of children.

If accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Do not use if the tamper-resistant bottle cap is broken or opened.
- RETAIN THIS CARTON FOR FUTURE REFERENCE
- store between 15° to 30°C (59°F to 86°F)

Inactive ingredients

aminoacetic acid, ascorbic acid, benzalkonium chloride, boric acid, dextrose, disodium phosphate, magnesium chloride, potassium chloride, purified water, sodium borate, sodium chloride, sodium citrate, sodium lactate

Package principal display panel

Care One Tears



STERICIAL TEARS

CAREONE"

Drug Facts

Active ingredients Purpose Eye Lubricant Eve Lubricant Eye Lubricant

Uses

- for the temporary relief of burning and irritation due to dryness of the eye for protection against further irritation

Warnings For external use only

- When using this product
 remove contact lenses before using
 do not use if this solution changes color or
- becomes cloudy

 do not touch tip of container to any surface to avoid contamination
- replace cap after each use
- Stop use and ask a doctor if
- you feel eye pain
 changes in vision occur
- redness or irritation of the eye lasts
 condition worsens or lasts more than 72 hours
- If pregnant or breast-feeding, ask a health
- professional before use.

Keep out of reach of children. If swallowed. get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

put 1 to 2 drops in the affected eye(s) as needed - children under 6 years of age: ask a doctor

Other information

- Do not use if the tamper-resistant bottle cap is broken or opened.

 ■ store at 15° to 25°C
- (59° to 77°F)

Inactive ingredients

ascorbic acid, benzalkonium chloride, boric acid, glucose, glycine, monobasic sodium phosphate monohydrate, potassium chloride, purified water, sodium borate, sodium chloride, sodium citrate hydrate, and sodium hydroxide

CAREONE

NDC No. 41520-865-05 Compare to the Active Ingredients in Visine® Tears*

STERILE ARTIFICIAL TEARS

Lubricant Eye Drop

LUBRICANT SOOTHES MOISTURIZES



CARE**ONE**

STERILE **ARTIFICIAL TEARS**

Lubricant Eye Drop

* This product is not manufactured or distributed by Consumer Health Care Group, Pfizer, Inc., owner of the registered tracemark Visine® Tears™.

DISTRIBUTED BY: AMERICAN SALES CD. 4201 WALDEN AVE., LANCASTER, NY 14086 ©2010 S&S Brands, Inc. Made in Korea

Quality Guaranteed Or Your Money Back

CARTE0052C01



ARTIFICIAL TEARS

glycerin, hypromellose, polyethylene glycol 400 liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41520-865

OPHTHALMIC **Route of Administration**

Active Ingradient/Active Maiety

Active nigredient/Active withety				
Ingredient Name	Basis of Strength	Strength		
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 mg in 1 mL		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGO) (POLYETHYLENE GLYCOL 400 -	POLYETHYLENE	10 mg		

UNII:B697894SGQ)	GLYCOL 400	in 1 mL
HYPROMELLOSES (UNII: 3NXW29V3WO) (HYPROMELLOSES - UNII:3NXW29V3WO)	HYPROMELLOSES	2 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
ASCORBIC ACID (UNII: PQ6 CK8 PD0 R)			
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)			
BORIC ACID (UNII: R57ZHV85D4)			
DEXTROSE (UNII: IY9 XDZ35W2)			
MAGNESIUM CHLO RIDE (UNII: 02F3473H9O)			
POTASSIUM CHLO RIDE (UNII: 660 YQ 98 I10)			
WATER (UNII: 059QF0KO0R)			
SODIUM BORATE (UNII: 91MBZ8H3QO)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
SO DIUM CITRATE (UNII: 1Q73Q2JULR)			
SODIUM LACTATE (UNII: TU7HW0W0QT)			
GLYCINE (UNII: TE7660 XO1C)			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:41520-865-05	1 in 1 BOX	09/10/2010		
1	15 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part349	09/06/2010			

Labeler - American Sales Company (809183973)

Revised: 10/2019 American Sales Company